GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Jaggayyapet Municipality – Initiation of disciplinary proceedings against Sri D.Hanumantha Rao, the then AE, Jaggayyapet Municipality and Two others on the allegations of irregularities in the execution of development works taken up in Dhanambodu, Jaggayyapet municipality – Departmental enquiry under sub-rule (2) of Rule-20 of A.P.Civil Services (CCA) Rules 1991 – Appointment of Sri N. Srinivasulu, Chief Engineer, APCRDA, Vijayawada as Inquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.RT.No. 344 **Dated: 24-04-2025**

Read the following:

1. From the GA (V&E) Department, A.P., Vigilance Report No.13(C.No.1453/V&E/Engg./2022-1), dated 17.02.2023.
2. From Engineer-in-Chief, Public Health, A.P., Tadepalli, Guntur District, Letter No.233/Jaggayyapeta/Vig.II/CS2/A1/2023, Date:14/03/2024.
3. G.O.Rt.No.753-756, MA&UD (Vig.II) Dept., dt:01.10.2024

***

O R D E R:

Whereas an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against 1) Sri D.Hanumantha Rao, the then AE, Jaggayyapet Municipality; 2) Sri V.V.Koteswara Rao, the then Dy.EE, Jaggayyapet Municipality and 3) Sri D.Bhushanam, the then EE, PH Division, Vijayawada on the allegations of irregularities in the execution of development works taken up in Dhanambodu, Jaggayyapet municipality.

2. Whereas Government after careful examination of the matter, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above charged officers.

3. Now, therefore, in exercise of powers conferred by sub-rule (2) of Rule-20 of A.P.Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri N. Srinivasulu, Chief Engineer, APCRDA, Vijayawada as Inquiry Officer to enquire into charges framed against the above charged officers.

4. The Inquiry Officer shall conduct the inquiry as per APCS (CCA) Rules, 1991 and submit his report to the Government within a period of three months.

5. The Engineer – in – Chief (PH), Govt., of A.P, Tadepalli shall provide the required material such as charges, explanation of Charged Officers/ Served copy etc., to the Inquiry Officer.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S. SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri N. Srinivasulu, Chief Engineer, APCRDA, Vijayawada & Inquiry Officer through the ENC (PH), Tadepalli.

(P.T.O)

The Superintending Engineer (Projects), Vijayawada Municipal Corporation through the ENC (PH), Tadepalli.
Sri D.Hanumantha Rao, the then AE, Jaggayyapet Municipality – through the Engineer-in-Chief, Public Health, A.P. Tadepalli, Guntur.
Sri V.V.Koteswara Rao, the then Dy.EE, Jaggayyapet Municipality – through the Engineer-in-Chief, Public Health, A.P., Tadepalli, Guntur.
Sri D.Bhushanam, the then EE, PH Division, Vijayawada- through the ENC(Ph)., A.P., Tadepalli.
The Engineer-in-Chief(Public health), A.P., Tadepalli.

Copy to:

The Secretary to APVC, A.P.Secretariat, Amaravati.
The G.A. (V&E) Department, A.P., Vijayawada.
The M.A. & U.D. (C) Department.
SF / SC

// FORWARDED:: BY ORDER //

SECTION OFFICER